



Chemicals

- **ME Ultimate Descaler**
- **ME CA Descaler**
- **ME Max Industrial Descaler**
(Muscles, Barnacles, Concrete)
- **ME AP Degreaser**
- **ME Industrial Degreaser**
- **Compressor Varnish Cleaner**

ME Industrial Degreasers

Industrial Degreaser & Cleaner

ME Industrial Degreaser Product Benefits

- Cuts time and costs from your most difficult cleaning applications
- Safe for ferrous and non-ferrous metals
- A synthetic detergent with anti-redeposition agents to provide a non-caustic cleaner
- pH of 11.0
- Designed to quickly lift and suspend oil and dirt
- **Environmentally safe** water based industrial strength degreaser and cleaner
- Does not contain Phosphates, Petroleum Distillates, Chlorinated Hydrocarbons, Ethylene Glycol, Monobutyl Ether, Sodium Hydroxide, Sodium Silicates
- Does not contain chemicals subject to the reporting requirements of SARA Title III
- Authorized by the U.S.D.A. for use in Federally inspected meat and poultry plants
- Moderate heat will enhance cleaning time and efficiency
- **Biodegradable, Non-Flammable, Non-Abrasive, Non-Corrosive and Non-toxic**

ME Industrial Degreaser Applications

- **Dilution (1) Institutional** - For painted walls, glass fixtures, skylights, windows, ceramic and wood. Never stronger than Dilution (1) and rinse immediately.
(1:40) One part of ME Industrial Degreaser to forty parts of water
- **Dilution (2) Commercial** - For floors of concrete, ceramic tile, terrazzo, magnesite, vinyl, rubber and plastic. *(1:25) One part of ME Industrial Degreaser to twentyfive parts of water*
- **Dilution (3) General Surface Cleaning** - For airplanes, buses, trucks, trailers, boats, canopies, plastic, air-conditioning units, electric fans and motors, cooling coils and filters, white sidewall tires. *(1:10) One part of ME Industrial Degreaser to ten parts of water*
- **Dilution (4) Industrial** - For cleaning dirt and grease from equipment, lift trucks, engines, pipes, motor shells, electric motors and machinery. Printers - For cleaning ink from presses, walls and floors. *(1:5) One part of ME Industrial Degreaser to five parts of water*
- **Dilution (5) Maintenance** - For conveyors, engines, exhaust stains, machines, metal stock and welding equipment. Kitchen - for ovens, deep fat fryers, flues, ducts and canopies over ovens, greasy floors. *(1:2) One part of ME Industrial Degreaser to two parts of water*
- **Dilution (6) Vats** - For cleaning greasy and carboned parts.
(1:1) One part of ME Industrial Degreaser to one part of water

ME Industrial Degreaser

Industrial Degreaser & Cleaner

Directions

Soak, spray or wipe it on and rinse off thoroughly. For best results in cleaning vats, 12 hours of mild heat and agitation followed by pressure rinse is recommended.

Caution

- Contains: Alkaline silicates. May be harmful if swallowed. Can cause eye and skin irritation.
- External: Flood with water and wash with vinegar.
- Internal: Give juice of lemon, grapefruit or orange freely, follow with olive oil.
- Eyes: Wash with 5-6% boric acid solution. If irritation or pain persists, call physician.

KEEP OUT OF THE REACH OF CHILDREN!

Technical Data

pH:	11.0
Color:	Green
Odor:	Fresh
Density:	8.34 lbs/gal
Flash Point:	None
Rinse Ability:	Completely
Type Cleaner	Water Soluble Degreaser
Active Ingredients:	Detergents, Builders Soluble Solvents
Degreasing Efficiency	Excellent
Specific Gravity	1.045
Stability (Hot or Cold):	Excellent
Ferrous Metals	None
Non-Ferrous Metals	None

